

# STAS j-rail

## professional versatility



The design of STAS j-rail was based on the shape of the letter J. This shape allows the rail to be combined in all kinds of different ways using hooks, cords and even rods.

For example, by using a rod instead of a cord or steel cable, moving or alternating works of art on high ceilings becomes a piece of cake. You won't need a ladder, because the rod can be lifted out of the rail from below.

STAS j-rail has a somewhat industrial look and is applied regularly in art galleries and in business premises.



## Features

Dimensions	7 x 20 mm
Length	150, 200 or 300 cm
Colour	white or alu
Material	aluminium
Installation	wall mountable, not adjoining to ceiling
Weight capacity	25 kg/m <sup>1</sup>
Warranty	5 years

For matching hooks, cords and rods see next page.

## Parts



**STAS j-rail white**  
 RJ10115 150 cm  
 RJ10120 200 cm  
 RJ10130 300 cm  
 (4 holes per m<sup>2</sup>)



**STAS j-rail alu**  
 RJ30115 150 cm  
 RJ30120 200 cm  
 RJ30130 300 cm  
 (4 holes per m<sup>2</sup>)



**STAS j-rail screw  
 flush head white**  
 SJ10100



**STAS j-rail screw  
 flush head alu**  
 SJ30100



**STAS plug**  
 SR50700

# STAS j-rail hooks, cords and rods

STAS j-rail has its own set of hooks, cords and rods with which to complete the system.

## Cords, rods and rail hooks



**STAS perlon cord with loop**  
 PL10110 100 cm  
 PL10115 150 cm  
 PL10120 200 cm  
 PL10125 250 cm  
 PL10130 300 cm



**STAS steel cable with loop**  
 SL10110 100 cm  
 SL10115 150 cm  
 SL10120 200 cm  
 SL10125 250 cm  
 SL10130 300 cm



**STAS j-rail s-hook white**  
 HR10400

**STAS j-rail s-hook chrome**  
 HR30400



**STAS cylinder hook white**  
 HR10600

**STAS perlon cord with glider**  
 PH10110 100 cm  
 PH10115 150 cm  
 PH10120 200 cm  
 PH10125 250 cm  
 PH10130 300 cm  
 PH10145 450 cm



**STAS cylinder hook alu**  
 HR30600

**STAS steel cable with glider**  
 SH10110 100 cm  
 SH10115 150 cm  
 SH10120 200 cm  
 SH10125 250 cm  
 SH10130 300 cm  
 SH10145 450 cm



**STAS j-rail rod 3 mm white**  
 SO10110 100 cm  
 SO10115 150 cm  
 SO10120 200 cm  
 SO10130 300 cm

**STAS j-rail rod 3 mm alu**  
 SO30110 100 cm  
 SO30115 150 cm  
 SO30120 200 cm  
 SO30130 300 cm



## Hooks



**STAS smartspring**  
 HA30900



**STAS zipper**  
 HA30501



**STAS zipper pro**  
 HA30530



**STAS j-rail spring hook**  
 HA30700

## Possible combinations



max.  
4 kg

**j-rail s-hook + perlon cord with loop + smartspring, zipper or zipper pro**



max.  
15 kg

**j-rail s-hook + steel cable with loop + zipper or zipper pro**



max.  
4 kg

**cylinder hook + perlon cord with glider + smartspring**



max.  
15 kg

**cylinder hook + perlon cord with glider + zipper or zipper pro**



max.  
20 kg

**cylinder hook + steel cable with glider + zipper or zipper pro**



max.  
15 kg

**j-rail rod + spring hook**

### **STAS products TÜV certified**

STAS strives day after day for products of the highest quality. To guarantee the quality and independence of products, STAS has commissioned TÜV Netherlands for the testing of its products. TÜV Netherlands is an independent and recognized body that assesses the quality of products according to a set standard and has extensive experience in the field of product safety and product inspections. Under the direction of TÜV, a large part of our range of products has been tested for quality and correctness of the specified features. All products where the TÜV logo is shown, have actually been tested by TÜV Netherlands and approved for the capacity that is stated in the features of that product.



### **Important note regarding warranty and liability**

Products of STAS must be installed and used only in strict accordance with the latest version of the STAS picture hanging systems installation guide, available for download at [www.stasgroup.com](http://www.stasgroup.com). It is the responsibility of the installer to select the correct fasteners for the particular installation. Improper installation, misuse, misapplication or otherwise failing to completely follow seller's instructions and warnings may cause product malfunction, property damage or personal injury.



### **STAS picture hanging systems**

Esp 245 | 5633 AD Eindhoven | PO box 1049 | 5602 BA Eindhoven | The Netherlands  
T +31 (0)40 292 48 48 | [info@stasgroup.com](mailto:info@stasgroup.com) | [www.stasgroup.com](http://www.stasgroup.com)